Author Index

Aarons, L., see Adedoyin, A. 160

Adedoyin, A.
-, Aarons, L. and Houston, J.B.
High-performance liquid chromatographic determination of β-naphthoflavone in biological fluids 160

Advenier, C., see Spreux-Varoquaux, O. 311

Aggazzotti, G.
-, Predieri, G., Fantuzzi, G. and Benedetti, A.
Headspace gas chromatographic analysis for determining low levels of chloroform in human plasma 125

Autelitano, D.J., see Smith, A.I. 255

Bailey, E.
-, Farmer, P.B., Peal, J.A., Hotchkiss, S.A. and Caldwell, J.
Analytical methodology to determine stable isotopically labelled and unlabelled theophylline in human plasma using capillary gas chromatography–mass spectrometry 81

Baird-Lambert, J.A., see Gross, A.S. 400

Barton, R.N., see Passingham, B.J. 25

Bayne, W.F., see Chiou, R. 196

Belenkii, B.G., see Maltsev, V.G. 45

Belle, S.J.P. Van, see De Smet, M. 375

Benedetti, A., see Aggazzotti, G. 125

Beretta, E.
-, Botturi, S., Ferrari, P., Tuan, G. and Zerilli, L.F.
Identification of 5-hydroxypyrazinamide isolated from urine of subjects given pyrazinamide 144

Berry, D.J., see Streete, J.M. 281

Bertrand, M.J., see Steffenrud, S. 219

Bialer, M., see Samara, E. 370

Bohbot, M.
-, Doare, L. and Diquet, B.
Determination of a new benzamide, amisulpride, in human plasma by reversed-phase ion-pair high-performance liquid chromatography 414

Booy, L.H.D.J., see Koopman-Kimenai, P.M. 382

Borget, P., see Steffenrud, S. 219

Botturi, S., see Beretta, E. 144

Brown, K.F., see Gross, A.S. 400

Caldwell, J., see Bailey, E. 81

Cannell, G.R., see Hooper, W.D. 347

Castello, G.
-, Gerbino, T.C., Giacosa, A., Frascio, F. and Sukkar, S.G.
Gas chromatographic evaluation of hydrogen in the breath as a diagnostic method for the study of intestinal digestion and absorption of dietary carbohydrates in man 119

Chasseaud, L.F., see Wood, S.G. 154

Cheng, M.C., see Smith, A.I. 255

Cheymol, G., see Garnier-Moiroux, A. 183

Chiou, R.
-, Stubbs, R.J. and Bayne, W.F.
Determination of ivermectin in human plasma and milk by high-performance liquid chromatography with fluorescence detection 196

Christie, R.B., see Muirhead, D.C. 420

Christopherson, R.J., see Early, R.J. 15

Cohen, A.I.
-, Jemal, M., Ivashkiv, E. and Ribick, M.
Rationale for application of low-mass selection-ion detection in the quantitative body fluid assay of nadolol 445

Cress-Tijhuis, M.W., see Koopman-Kimenai, P.M. 382

Crolla, T., see Visconti, M. 433

Dadgar, D.
- and Power, A.
Applications of column-switching technique in biopharmaceutical analysis. I. High-performance liquid chromatographic determination of amitriptyline and its metabolites in human plasma 99

Debackere, M., see Delbeke, F.T. 443

Delbeke, F.T.
- and Debackere, M.
High-sensitivity determination of nadolol in plasma with mass-selective detection 443

De Smet, M.
-, Van Belle, S.J.P., Seneca, V., Storme, G.A. and Massart, D.L.
Determination of vinblastine in MO_4 mouse fibrosarcoma cells by high-performance liquid chromatography 375

Dickinson, R.G., see Hooper, W.D. 347

Diquet, B., see Bohbot, M. 414

Doare, L., see Bohbot, M. 414

Dolan, S., see Lau, C.E. 212

Drijkoningen, G., see Koopman-Kimenai, P.M. 382

Duff, G.A.
-, Yeager, S.A., Singhal, A.K., Pestel, B.C., Ressner, J.M. and Foster, N.

Separation of metalloporphyrins from metallation reactions by liquid chromatography and electrophoresis 71
Early, R.J.
-, Thompson, J.R., Sedgwick, G.W., Kelly, J.M. and Christopherson, R.J.
Capillary gas chromatographic analysis of amino acids in blood and protein hydrolysates as *tert.*-butyldimethylsilyl derivatives 15
Evans, M.J., see Steffenrud, S. 219
Fantuzzi, G., see Aggazzotti, G. 125
Fanucchi, M.P., see Stevens, Y.-W. 203
Farmer, P.B., see Bailey, E. 81
Ferrari, P., see Beretta, E. 144
Flaherty, M.D., see Henner, W.D. 426
Foster, N., see Duff, G.A. 71
Foster, R.T.
- and Jamali, F.
High-performance liquid chromatographic assay of ketoprofen enantiomers in human plasma and urine 388
Foth, H., see Michaelis, H.C. 176
Fraillon, P., see Mura, P. 303
Frascio, F., see Castello, G. 119
Friesen, W.T., see Owen, S.G. 293
Fukuhara, K.
- and Matsuki, Y.
Simple method for the determination of pipemidic acid in biological fluids by high-performance liquid chromatography 409
Fukui, M., see Kasuya, F. 189
Furlong, E.A., see Henner, W.D. 426
Gallo, D.G., see Kerns, E.H. 357
Gallo, P.
-, Sidén, Å. and Tavolato, B.
Anion-exchange chromatography of normal and monoclonal serum immunoglobulins 53
Garnier-Moiroux, A.
-, Poirier, J.-M., Cheymol, G. and Jaillon, P.
High-performance liquid chromatographic determination of pentoxifylline and its hydroxy metabolite in human plasma 183
Gerbino, T.C., see Castello, G. 119
Giacosa, A., see Castello, G. 119
Gross, A.S.
-, Brown, K.F., Baird-Lambert, J.A. and Nation, R.L.
Determination of ritodrine in blood and plasma by high-performance liquid chromatography with fluorescence detection 400
Hamada, S., see Horikoshi, T. 353
Hamazaki, H., see Iwase, H. 37
Henner, W.D.
-, Furlong, E.A., Flaherty, M.D., Shea, T.C. and Peters, W.P.
Measurement of busulfan in plasma by high-performance liquid chromatography 426
Herrero, P.
- and Roselli, R.J.
Computer analysis of proteins separated by polyacrylamide gradient pore gel electrophoresis 265
Herrmann, T.
-, Steinhilber, D. and Roth, H.J.
Determination of leukotriene B_4 by high-performance liquid chromatography with electrochemical detection 170
Hooper, W.D.
-, Cannell, G.R. and Dickinson, R.G.
Sensitive and selective assay of danazol in plasma by high-performance liquid chromatography 347
Horikoshi, T.
-, Koga, T. and Hamada, S.
Thin-layer chromatography using multiple development for analysis of reaction products of sucrases 353
Hotchkiss, S.A., see Bailey, E. 81
Hotta, K., see Iwase, H. 37
Houston, J.B., see Adedoyin, A. 160
Hyánek, J., see Verner, P. 439
Igarashi, K., see Kasuya, F. 189
Ishii, I., see Iwase, H. 37
Ivashkiv, E., see Cohen, A.I. 445
Iwase, H.
-, Ishii, I., Kato, Y., Hamazaki, H., Hotta, K., Umezawa, A. and Kanzaki, T.
Subfractionation of the dansylated derivatives of glucosyl galactosyl hydroxylysine by liquid chromatography and its application to a specific α-1,2-glucosidase assay 37
Jacobsen, D., see Øvrebø, S. 111
Jaillon, P., see Garnier-Moiroux, A. 183
Jamali, F., see Foster, R.T. 388
Jemal, M., see Cohen, A.I. 445
Kahl, G.F., see Michaelis, H.C. 176
Kanzaki, T., see Iwase, H. 37
Kasuya, F.
-, Igarashi, K. and Fukui, M.
Determination of six metabolites of oxybuprocaine in urine by high-performance liquid chromatography 189
Kato, Y., see Iwase, H. 37
Kelley, V., see Kelly, R.A. 247
Kelly, J.M., see Early, R.J. 15
Kelly, R.A.

-, O'Hara, D.S. and Kelley, V.
High-performance liquid chromatographic separation of femtomolar quantities of endogenous carboxylic acids, including arachidonic acid metabolites, as 4-bromomethyl-7-methoxycoumarin derivatives 247
Kennedy, E.E., see Taylor, E.H. 365
Kerns, E.H.
-, Russell, J.W. and Gallo, D.G.
Determination of anagrelide in plasma by capillary gas chromatography–mass spectrometry 357
Kester, M.B.
-, Saccar, C.L. and Mansmann, Jr., H.C.
Microassay for the simultaneous determination of theophylline and dyphylline in serum by high-performance liquid chromatography 91
Khvatov, A.B., see Maltsev, V.G. 45
Kikuchi, M., see Miwa, H. 237
Koga, T., see Horikoshi, T. 353
Kohashi, K., see Tsuruta, Y. 63
Kojima, K., see Sakai, T. 131
Konečná, V., see Verner, P. 439
Koopman, B.J.
-, Van der Molen, J.C., Wolthers, B.G. and Vanderpas, J.B.
Determination of some hydroxycholesterols in human serum samples 1
Koopman-Kimenai, P.M.
-, Vree, T.B., Cress-Tijhuis, M.W., Booy, L.H.D.J. and Drijkoningen, G.
High-performance liquid chromatography and preliminary pharmacokinetics of nicomorphine and its metabolites 3-nicotinoyl- and 6-nicotinoylmorphine and morphine 382
Labadarios, D., see Shephard, G.S. 138
Lang, J.F., see Walker, B.J. 150
Lau, C.E.
-, Dolan, S. and Tang, M.
Microsample determination of diazepam and its three metabolites in serum by reversed-phase high-performance liquid chromatography 212
Louw, M.E.J., see Shephard, G.S. 138
McLean, J.D., see Nair, J.B. 340
Magatsu, T., see Sakai, T. 131
Maltsev, V.G.
-, Zimina, T.M., Khvatov, A.B. and Belenkii, B.G.
Determination of myoglobin in human serum by high-performance liquid chromatography with chemiluminescence detection 45
Mansmann, Jr., H.C., see Kester, M.B. 91
Massart, D.L., see De Smet, M. 375
Matsuki, Y., see Fukuhara, K. 409
Michaelis, H.C.
-, Foth, H. and Kahl, G.F.
Determination of 5-fluoro-2′-deoxyuridine in human plasma by high-performance liquid chromatography with pre-column fluorimetric derivatization 176
Miwa, H.
-, Yamamoto, M., Nishida, T., Nunoi, K. and Kikuchi, M.
High-performance liquid chromatographic analysis of serum long-chain fatty acids by direct derivatization method 237
Molen, J.C. van der, see Koopman, B.J. 1
Moody, R.R., see Taylor, R.B. 394
Moran, E.
-, O'Kennedy, R. and Thornes, R.D.
Analysis of coumarin and its urinary metabolites by high-performance liquid chromatography 165
Morin, D., see Spreux-Varoquaux, O. 311
Muirhead, D.C.
- and Christie, R.B.
Simple, sensitive and selective high-performance liquid chromatographic method for analysis of chlorthalidone in whole blood 420
Munk, M.N., see Nair, J.B. 340
Mura, P.
-, Piriou, A., Fraillon, P., Papet, Y. and Reiss, D.
Screening procedure for benzodiazepines in biological fluids by high-performance liquid chromatography using a rapid-scanning multichannel detector 303
Mutschler, E., see Pflugmann, G. 331
Nair, J.B.
-, Munk, M.N. and McLean, J.D.
Improved high-performance liquid chromatographic method with electrochemical detection for the determination of urinary catecholamines using a new electrochemical detector 340
Nation, R.L., see Gross, A.S. 400
Nilsson-Ehle, I.
Assay of ciprofloxacin and norfloxacin in serum and urine by high-performance liquid chromatography 207
Nishida, T., see Miwa, H. 237
Nunoi, K., see Miwa, H. 237
Ochekpe, N.A., see Taylor, R.B. 394

O'Hara, D.S., see Kelly, R.A. 247
Ohkura, Y., see Tsuruta, Y. 63
O'Kennedy, R., see Moran, E. 165
Okerholm, R.A., see Walker, B.J. 150
Øvrebø, S.
-, Jacobsen, D. and Sejersted, O.M.
Determination of ionic metabolites from ethylene glycol in human blood by isotachophoresis 111
Owen, S.G.
-, Roberts, M.S. and Friesen, W.T.
Rapid high-performance liquid chromatographic assay for the simultaneous analysis of non-steroidal anti-inflammatory drugs in plasma 293
Papet, Y., see Mura, P. 303
Pappas, A.A., see Taylor, E.H. 365
Passingham, B.J.
- and Barton, R.N.
Application of high-performance liquid chromatography to the measurement of cortisol secretion rate 25
Pays, M., see Spreux-Varoquaux, O. 311
Peal, J.A., see Bailey, E. 81
Pehal, F., see Verner, P. 439
Pestel, B.C., see Duff, G.A. 71
Peters, W.P., see Henner, W.D. 426
Pflugmann, G.
-, Spahn, H. and Mutschler, E.
Rapid determination of the enantiomers of metoprolol, oxprenolol and propranolol in urine 331
Pifferi, G., see Visconti, M. 433
Pinza, M., see Visconti, M. 433
Piriou, A., see Mura, P. 303
Poirier, J.-M., see Garnier-Moiroux, A. 183
Power, A., see Dadgar, D. 99
Predieri, G., see Aggazzotti, G. 125
Reiss, D., see Mura, P. 303
Ressner, J.M., see Duff, G.A. 71
Ribick, M., see Cohen, A.I. 445
Roberts, M.S., see Owen, S.G. 293
Roselli, R.J., see Herrero, P. 265
Roth, H.J., see Herrmann, T. 170
Russell, J.W., see Kerns, E.H. 357
Saccar, C.L., see Kester, M.B. 91
Sakai, T.
-, Kojima, K. and Nagatsu, T.
Rapid chromatographic purification of dipeptidyl-aminopeptidase II from human kidney 131
Salari, H., see Steffenrud, S. 219
Samara, E.
- and Bialer, M.
Rapid high-performance liquid chromatographic assay with pharmacokinetic applications for monitoring cannabidiol in plasma 370
Schmidt, K., see Scholl, H. 321
Scholl, H.
-, Schmidt, K. and Weber, B.
Sensitive and selective determination of picogram amounts of ciprofloxacin and its metabolites in biological samples using high-performance liquid chromatography and photothermal post-column derivatization 321
Sedgwick, G.W., see Early, R.J. 15
Sejersted, O.M., see Øvrebø, S. 111
Seneca, V., see De Smet, M. 375
Shea, T.C., see Henner, W.D. 426
Shephard, G.S.
-, Louw, M.E.J. and Labadarios, D.
Analysis of vitamin B_6 vitamers in plasma by cation-exchange high-performance liquid chromatography 138
Sidén, Å., see Gallo, P. 53
Singhal, A.K., see Duff, G.A. 71
Smet, M. De, see De Smet, M. 375
Smith, A.I.
-, Wallace, C.A., Cheng, M.C. and Autelitano, D.J.
The combined use of size-exclusion and reversed-phase high-performance liquid chromatography for characterization of β-endorphin processing pathways 255
Spahn, H., see Pflugmann, G. 331
Spalluto, R., see Visconti, M. 433
Spreux-Varoquaux, O.
-, Morin, D., Advenier, C. and Pays, M.
Determination of clomipramine and its hydroxylated and demethylated metabolites in plasma and urine by liquid chromatography with electrochemical detection 311
Steffenrud, S.
-, Borgeat, P., Salari, H., Evans, M.J. and Bertrand, M.J.
Gas chromatography–mass spectrometry of monohydroxyeicosetetraenoic acids as their methyl esters trimethylsilyl, allyldimethylsilyl and *tert.*-butyldimethylsilyl ethers 219
Steinhilber, D., see Hermann, T. 170
Stevens, Y.-W.
-, Walsh, T.D. and Fanucchi, M.P.
Quantitation of merbarone in human plasma by high-performance liquid chromatography 203
Storme, G.A., see De Smet, M. 375

Streete, J.M.
- and Berry, D.J.
Gas chromatographic analysis of phenylethylmalonamide in human plasma 281
Stubbs, R.J., see Chiou, R. 196
Sukkar, S.G., see Castello, G. 119
Tang, M., see Lau, C.E. 212
Tavolato, B., see Gallo, P. 53
Taylor, E.H.
-, Kennedy, E.E. and Pappas, A.A.
Determination of flecainide by gas chromatography–mass spectrometry 365
Taylor, R.B.
-, Moody, R.R. and Ochekpe, N.A.
Determination of proguanil and its metabolites cycloguanil and 4-chlorophenylbiguanide in plasma, whole blood and urine by high-performance liquid chromatography 394
Thompson, J.R., see Early, R.J. 15
Thornes, R.D., see Moran, E. 165
Tomida, H., see Tsuruta, Y. 63
Tsuruta, Y.
-, Tomida, H., Kohashi, K. and Ohkura, Y.
Simultaneous determination of imidazoleacetic acid and N^{τ}- and N^{π}-methylimidazoleacetic acids in human urine by high-performance liquid chromatography with fluorescence detection 63
Tuan, G., see Beretta, E. 144
Umezawa, A., see Iwase, H. 37
Van Belle, S.J.P., see De Smet, M. 375
Van der Molen, J.C., see Koopman, B.J. 1
Vanderpas, J.B., see Koopman, B.J. 1
Verner, P.
-, Pehal, F., Konečná, V., Zeman, J. and Hyánek, J.
Quantification of some glycols in urinary organic acid profiles of acutely ill newborns 439
Visconti, M.
-, Spalluto, R., Crolla, T., Pifferi, G. and Pinza, M.
Determination of oxiracetam in human serum and urine by high-performance liquid chromatography 433
Vree, T.B., see Koopman-Kimenai, P.M. 382
Walker, B.J.
-, Lang, J.F. and Okerholm, R.A.
Quantitative analysis of dicyclomine in human plasma by capillary gas chromatography and nitrogen-selective detection 150
Wallace, C.A., see Smith, A.I. 255
Walsh, T.D., see Stevens, Y.-W. 203
Weber, B., see Scholl, H. 321
Wolthers, B.G., see Koopman, B.J. 1
Wood, S.G.
- and Chasseaud, L.F.
Determination of tulobuterol in human plasma by capillary gas chromatography 154
Yamamoto, M., see Miwa, H. 237
Yeager, S.A., see Duff, G.A. 71
Zeman, J., see Verner, P. 439
Zerilli, L.F., see Beretta, E. 144
Zimina, T.M., see Maltsev, V.G. 45

Subject Index

α-N-Acetylendorphin
The combined use of size-exclusion and reversed-phase HPLC for characterization of β-endorphin processing pathways 255
Amines
Determination of ritodrine in blood and plasma by HPLC with fluorescence detection 400
Amino acids
Capillary GC analysis of amino acids in blood and protein hydrolysates as *tert.*-butyldimethylsilyl derivatives 15
Amisulpride
Determination of a new benzamide, amisulpride, in human plasma by reversed-phase ion-pair HPLC 414
Amitriptyline
Applications of column-switching technique in biopharmaceutical analysis. I. HPLC determination of amitriptyline and its metabolites in human plasma 99
Anagrelide
Determination of anagrelide in plasma by capillary GC–MS 357
Arachidonic acid metabolites
HPLC separation of femtomolar quantities of endogenous carboxylic acids, including arachidonic acid metabolites, as 4-bromomethyl-7-acetoxycoumarin derivatives 247
Benzamides
Determination of a new benzamide, amisulpride, in human plasma by reversed-phase ion-pair HPLC 414
Benzodiazepines
Screening procedure for benzodiazepines in biological fluids by HPLC using a rapid-scanning multichannel detector 303
Busulfan
Measurement of busulfan in plasma by HPLC 426
Cannabidiol
Rapid HPLC assay with pharmacokinetic applications for monitoring cannabidiol in plasma 370
Carbohydrates
GC evaluation of hydrogen in the breath as a diagnostic method for the study of intestinal digestion and adsorption of dietary carbohydrates in man 119
Carboxylic acids
HPLC separation of femtomolar quantities of endogenous carboxylic acids, including arachidonic acid metabolites, as 4-bromomethyl-7-acetoxycoumarin derivatives 247
Catecholamines
Improved HPLC method with electrochemical detection for the determination of urinary catecholamines using a new electrochemical detector 340
Chloroform
Headspace GC analysis for determining low levels of chloroform in human plasma 125
4-Chlorophenylbiguanide
Determination of proguanil and its metabolites cycloguanil and 4-chlorophenylbiguanide in plasma, whole blood and urine by HPLC 394
Chlorthalidone
Simple, sensitive and selective HPLC method for analysis of chlorthalidone in whole blood 420
Ciprofloxacin
Assay of ciprofloxacin and norfloxacin in serum and urine by HPLC 207
Ciprofloxacin
Sensitive and selective determination of picogram amounts of ciprofloxacin and its metabolites in biological samples using HPLC and photothermal post-column derivatization 321
Citric acid
Determination of ionic metabolites from ethylene glycol in human blood by isotachophoresis 111
Clomipramine
Determination of clomipramine and its hydroxylated and demethylated metabolites in plasma and urine by LC with electrochemical detection 311
Corticosteroids
Application of HPLC to the measurement of cortisol secretion rate 25
Cortisol
Application of HPLC to the measurement of cortisol secretion rate 25
Coumarin
Analysis of coumarin and its urinary metabolites by HPLC 165
Cycloguanil
Determination of proguanil and its metabolites cycloguanil and 4-chlorophenylbiguanide in plasma, whole blood and urine by

HPLC 394
Danazol
Sensitive and selective assay of danazol in plasma by HPLC 347
Demethylclomipramine
Determination of clomipramine and its hydroxylated and demethylated metabolites in plasma and urine by LC with electrochemical detection 311
N-Desmethyldiazepam
Microsample determination of diazepam and its three metabolites in serum by reversed-phase HPLC 212
Diazepam
Microsample determination of diazepam and its three metabolites in serum by reversed-phase HPLC 212
Dicyclomine
Quantitative analysis of dicyclomine in human plasma by capillary GC and nitrogen-selective detection 150
Didemethylclomipramine
Determination of clomipramine and its hydroxylated and demethylated metabolites in plasma and urine by LC with electrochemical detection 311
Diethylene glycol
Quantification of some glycols in urinary organic acid profiles of acutely ill newborns 439
1,3-Dimethylxanthine
Analytical methodology to determine stable isotopically labelled and unlabelled theophylline in human plasma using capillary GC–MS 81
1,3-Dimethylxanthine
Microassay for the simultaneous determination of theophylline and dyphylline in serum by HPLC 91
Dipeptidyl-aminopeptidase II
Rapid chromatographic purification of dipeptidyl-aminopeptidase II from human kidney 131
Dopamine
Improved HPLC method with electrochemical detection for the determination of urinary catecholamines using a new electrochemical detector 340
Dyphylline
Microassay for the simultaneous determination of theophylline and dyphylline in serum by HPLC 91
Eicosanoids
HPLC separation of femtomolar quantities of endogenous carboxylic acids, including arachidonic acid metabolites, as 4-bromomethyl-7-acetoxycoumarin derivatives 247
β-Endorphin
The combined use of size-exclusion and reversed-phase HPLC for characterization of β-endorphin processing pathways 255
Enzymes
Rapid chromatographic purification of dipeptidyl-aminopeptidase II from human kidney 131
Enzymes
Subfractionation of the dansylated derivatives of glucosyl galactosyl hydroxylysine by LC and its application to a specific α-1,2-glucosidase assay 37
Enzymes
TLC using multiple development for analysis of reaction products of sucrases 353
Epinephrine
Improved HPLC method with electrochemical detection for the determination of urinary catecholamines using a new electrochemical detector 340
Ethylene glycol
Determination of ionic metabolites from ethylene glycol in human blood by isotachophoresis 111
Fatty acids
HPLC analysis of serum long-chain fatty acids by direct derivatization method 237
Fatty acids
HPLC separation of femtomolar quantities of endogenous carboxylic acids, including arachidonic acid metabolites, as 4-bromomethyl-7-acetoxycoumarin derivatives 247
Flavonoids
HPLC determination of β-naphthoflavone in biological fluids 160
Flecainide
Determination of flecainide by GC–MS 365
5-Fluoro-2′-deoxyuridine
Determination of 5-fluoro-2′-deoxyuridine in human plasma by HPLC with pre-column fluorimetric derivatization 176
Formic acid
Determination of ionic metabolites from ethylene glycol in human blood by isotachophoresis 111
α-1,2-Glucosidase
Subfractionation of the dansylated derivatives of glucosyl galactosyl hydroxylysine by LC and its application to a specific α-1,2-glucosidase assay 37

Glucosyl galactosyl hydroxylysine
Subfractionation of the dansylated derivatives of glucosyl galactosyl hydroxylysine by LC and its application to a specific α-1,2-glucosidase assay 37
Glycolic acid
Determination of ionic metabolites from ethylene glycol in human blood by isotachophoresis 111
Glycols
Quantification of some glycols in urinary organic acid profiles of acutely ill newborns 439
Glyoxylic acid
Determination of ionic metabolites from ethylene glycol in human blood by isotachophoresis 111
Hydrogen
GC evaluation of hydrogen in the breath as a diagnostic method for the study of intestinal digestion and adsorption of dietary carbohydrates in man 119
10-Hydroxyamitriptyline
Applications of column-switching technique in biopharmaceutical analysis. I. HPLC determination of amitriptyline and its metabolites in human plasma 99
Hydroxyarachidic acids
GC–MS of monohydroxyeicosatetraenoic acids as their methyl esters trimethylsilyl, allyldimethylsilyl and *tert.*-butyldimethylsilyl ethers 219
Hydroxybutyric acids
Determination of ionic metabolites from ethylene glycol in human blood by isotachophoresis 111
Hydroxycholesterols
Determination of some hydroxycholesterols in human serum samples 1
Hydroxyclomipramines
Determination of clomipramine and its hydroxylated and demethylated metabolites in plasma and urine by LC with electrochemical detection 311
17-Hydroxycorticosteroids
Application of HPLC to the measurement of cortisol secretion rate 25
7-Hydroxycoumarin
Analysis of coumarin and its urinary metabolites by HPLC 165
8-Hydroxydemethylclomipramine
Determination of clomipramine and its hydroxylated and demethylated metabolites in plasma and urine by LC with electrochemical detection 311
Hydroxyeicosatetraenoic acids
GC–MS of monohydroxyeicosatetraenoic acids as their methyl esters trimethylsilyl, allyldimethylsilyl and *tert.*-butyldimethylsilyl ethers 219
1-(5′-Hydroxyhexyl)-3,7-dimethylxanthine
HPLC determination of pentoxifylline and its hydroxy metabolite in human plasma 183
10-Hydroxynortriptyline
Applications of column-switching technique in biopharmaceutical analysis. I. HPLC determination of amitriptyline and its metabolites in human plasma 99
5-Hydroxypyrazinamide
Identification of 5-hydroxypyrazinamide isolated from urine of subjects given pyrazinamide 144
Imidazoleacetic acid
Simultaneous determination of imidazoleacetic acid and N^{τ}- and N^{π}-methylimidazoleacetic acids in human urine by HPLC with fluorescence detection 63
Immunoglobulins
Anion-exchange chromatography of normal and monoclonal serum immunoglobulins 53
Ivermectin
Determination of ivermectin in human plasma and milk by HPLC with fluorescence detection 196
Ketoprofen
HPLC assay of ketoprofen enantiomers in human plasma and urine 388
17-Ketosteroids
Application of HPLC to the measurement of cortisol secretion rate 25
Lactic acid
Determination of ionic metabolites from ethylene glycol in human blood by isotachophoresis 111
Leukotriene B_4
Determination of leukotriene B_4 by HPLC with electrochemical detection 170
Lipids
HPLC separation of femtomolar quantities of endogenous carboxylic acids, including arachidonic acid metabolites, as 4-bromomethyl-7-acetoxycoumarin derivatives 247
Long-chain fatty acids
HPLC analysis of serum long-chain fatty acids by direct derivatization method 237
Lymph-to-plasma protein concentration ratios
Computer analysis of proteins separated by

polyacrylamide gradient pore gel electrophoresis 265
Merbarone
Quantitation of merbarone in human plasma by HPLC 203
Metalloporphyrins
Separation of metalloporphyrins from metallation reactions by LC and electrophoresis 71
Methylimidazoleacetic acids
Simultaneous determination of imidazoleacetic acid and N^{τ}- and N^{π}-methylimidazoleacetic acids in human urine by HPLC with fluorescence detection 63
Metoprolol
Rapid determination of the enantiomers of metoprolol, oxprenolol and propranolol in urine 331
Monohydroxyeicosatetraenoic acids
GC–MS of monohydroxyeicosatetraenoic acids as their methyl esters trimethylsilyl, allyldimethylsilyl and *tert.*-butyldimethylsilyl ethers 219
Morphine
HPLC and preliminary pharmacokinetics of nicomorphine and its metabolites 3-nicotinoyl- and 6-nicotinoylmorphine and morphine 382
Myoglobin
Determination of myoglobin in human serum by HPLC with chemiluminescence detection 45
Nadolol
High-sensitivity determination of nadolol in plasma with mass-selective detection 443
Nadolol
Rationale for application of low-mass selected-ion detection in the quantitative body fluid assay of nadolol 445
β-Naphthoflavone
HPLC determination of β-naphthoflavone in biological fluids 160
Nicomorphine
HPLC and preliminary pharmacokinetics of nicomorphine and its metabolites 3-nicotinoyl- and 6-nicotinoylmorphine and morphine 382
Nicotinoylmorphines
HPLC and preliminary pharmacokinetics of nicomorphine and its metabolites 3-nicotinoyl- and 6-nicotinoylmorphine and morphine 382
Non-steroidal anti-inflammatory drugs
Rapid HPLC assay for the simultaneous analysis of non-steroidal anti-inflammatory drugs in plasma 293
Norepinephrine
Improved HPLC method with electrochemical detection for the determination of urinary catecholamines using a new electrochemical detector 340
Norfloxacin
Assay of ciprofloxacin and norfloxacin in serum and urine by HPLC 207
Nortriptyline
Applications of column-switching technique in biopharmaceutical analysis. I. HPLC determination of amitriptyline and its metabolites in human plasma 99
Oxalic acid
Determination of ionic metabolites from ethylene glycol in human blood by isotachophoresis 111
Oxazepam
Microsample determination of diazepam and its three metabolites in serum by reversed-phase HPLC 212
Oxiracetam
Determination of oxiracetam in human serum and urine by HPLC 433
1-(5′-Oxohexyl)-3,7-dimethylxanthine
HPLC determination of pentoxifylline and its hydroxy metabolite in human plasma 183
Oxprenolol
Rapid determination of the enantiomers of metoprolol, oxprenolol and propranolol in urine 331
Oxybuprocaine
Determination of six metabolites of oxybuprocaine in urine by HPLC 189
Pentoxifylline
HPLC determination of pentoxifylline and its hydroxy metabolite in human plasma 183
Phenylethylmalonamide
GC analysis of phenylethylmalonamide in human plasma 281
Pipemidic acid
Simple method for the determination of pipemidic acid in biological fluids by HPLC 409
Porphyrins
Separation of metalloporphyrins from metallation reactions by LC and electrophoresis 71
Proguanil
Determination of proguanil and its metab-

olites cycloguanil and 4-chlorophenylbiguanide in plasma, whole blood and urine by HPLC 394
Propranolol
Rapid determination of the enantiomers of metoprolol, oxprenolol and propranolol in urine 331
Proteins
Anion-exchange chromatography of normal and monoclonal serum immunoglobulins 53
Proteins
Computer analysis of proteins separated by polyacrylamide gradient pore gel electrophoresis 265
Proteins
Determination of myoglobin in human serum by HPLC with chemiluminescence detection 45
Pyridoxal
Analysis of vitamin B_6 vitamers in plasma by cation-exchange HPLC 138
Pyridoxal 5′-phosphate
Analysis of vitamin B_6 vitamers in plasma by cation-exchange HPLC 138
Pyridoxamine
Analysis of vitamin B_6 vitamers in plasma by cation-exchange HPLC 138
Pyridoxamine 5′-phosphate
Analysis of vitamin B_6 vitamers in plasma by cation-exchange HPLC 138
Pyridoxic acid
Analysis of vitamin B_6 vitamers in plasma by cation-exchange HPLC 138
Pyridoxine
Analysis of vitamin B_6 vitamers in plasma by cation-exchange HPLC 138
Pyrimidines
Determination of 5-fluoro-2′-deoxyuridine in human plasma by HPLC with pre-column fluorimetric derivatization 176
Ritodrine
Determination of ritodrine in blood and plasma by HPLC with fluorescence detection 400
Saccharides
TLC using multiple development for analysis of reaction products of sucrases 353
Steroids
Application of HPLC to the measurement of cortisol secretion rate 25
Steroids
Determination of some hydroxycholesterols in human serum samples 1
Steroids
Sensitive and selective assay of danazol in plasma by HPLC 347
Sucrases
TLC using multiple development for analysis of reaction products of sucrases 353
Temazepam
Microsample determination of diazepam and its three metabolites in serum by reversed-phase HPLC 212
Tetramethylpyridyl porphyrins
Separation of metalloporphyrins from metallation reactions by LC and electrophoresis 71
Tetra-N,N,N-trimethylanilinium porphyrin
Separation of metalloporphyrins from metallation reactions by LC and electrophoresis 71
Theophylline
Analytical methodology to determine stable isotopically labelled and unlabelled theophylline in human plasma using capillary GC–MS 81
Theophylline
Microassay for the simultaneous determination of theophylline and dyphylline in serum by HPLC 91
Triethylene glycol
Quantification of some glycols in urinary organic acid profiles of acutely ill newborns 439
Tulobuterol
Determination of tulobuterol in human plasma by capillary GC 154
Vinblastine
Determination of vinblastine in MO_4 mouse fibrosarcoma cells by HPLC 375
Vitamin B_6 vitamers
Analysis of vitamin B_6 vitamers in plasma by cation-exchange HPLC 138